

## Adverse events related to transfusion

Baldwin AL. [Blood substitutes and redox responses in the microcirculation](#). Antioxid Redox Signal 2004 Dec;6(6):1019-30.

Bar-Or D, Thomas GW, Bar-Or R, Rael LT, Scarborough K, Rao N, Shimonkevitz R. [Commercial human albumin preparations for clinical use are immunosuppressive in vitro](#). Crit Care Med 2006 Jun;34(6):1707-12.

Bird SM. [Recipients of blood or blood products "at vCJD risk"](#) (editorial) (Br Med J, 17 Jan. 2004)

Blajchman MA, Vamvakas EC. [The continuing risk of transfusion-transmitted infections](#). N Engl J Med 2006 Sep 28;355(13):1303-5.

Blajchman MA. [The clinical benefits of the leukoreduction of blood products](#). J Trauma. 2006 Jun;60(6 Suppl):S83-90.

Blajchman MA. [Transfusion immunomodulation or TRIM: What does it mean clinically?](#) Hematology 2005 Sep-Oct;10 Suppl 1:208-14.

Bueter M, Thalheimer A, Schuster F, Bock M, von Erffa C, Meyer D, Fein M. [Transfusion-related acute lung injury \(TRALI\) - an important, severe transfusion-related complication](#). Langenbecks Arch Surg. 2006 Aug 15; [Epub ahead of print]

Bux J. [Transfusion-related acute lung injury \(TRALI\): a serious adverse event of blood transfusion](#). Vox Sang 2005 Jul;89(1):1-10.

Croce MA, Tolley EA, Claridge JA, Fabian TC. [Transfusions result in pulmonary morbidity and death after a moderate degree of injury](#). J Trauma 2005 Jul;59(1):19-24.

Dodd RY, Leiby DA. [Emerging infectious threats to the blood supply](#). Annu Rev Med 2004;55:191-207.

Chutinimitkul S, Bhattarakosol P, Srisuratanon S, Eiamudomkan A, Kongsomboon K, Damrongwatanapokin S, et al. [H5N1 influenza A virus and infected human plasma](#) [letter]. Emerg Infect Dis [serial on the Internet]. 2006 Jun [Cited 6 May 2006].

- [Live bird flu found in victim's blood](#)
- Also see [TraQ's avian flu clearinghouse](#)

Dunne JR, Riddle MS, Danko J, Hayden R, Petersen K. [Blood transfusion is associated with infection and increased resource utilization in combat casualties.](#) Am Surg 2006 Jul;72(7):619-25; discussion 625-6.

Engoren MC, Habib RH, Zacharias A, Schwann TA, Riordan CJ, Durham SJ. [Effect of blood transfusion on long-term survival after cardiac operation.](#) Ann Thorac Surg. 2002 Oct;74(4):1180-6.

Flesland O, Ip LS, Storlien AS, Spurkland A, Larsen J, Solheim BG. [Microchimerism in immune competent patients related to the leukocyte content of transfused red blood cell concentrates.](#) Transfus Apheresis Sci 2004 Dec;31(3):173-80.

Furnary AP, Wu Y, Gately HL, Swanson JS, Ravichandran P, Chien G, et al. [Pre-storage leukoreduction of transfused packed red blood cells improves mid-term survival following cardiac surgery.](#) American Association for Thoracic Surgery Annual Meeting, April 9-13, 2005.

Gong MN, Thompson BT, Williams P, Pothier L, Boyce PD, Christiani DC. [Clinical predictors of and mortality in acute respiratory distress syndrome: Potential role of red cell transfusion.](#) Crit Care Med 2005 Jun;33(6):1191-8.

Gould S, Cimino MJ, Gerber DR. [Packed red blood cell transfusion in the intensive care unit: limitations and consequences.](#) Am J Crit Care 2007 Jan;16(1):39-48.

Hladik W, et al. [Transmission of human herpesvirus 8 by blood transfusion.](#) N Engl J Med 2006 Sep 28;355(13):1331-8.

- News item:[HHV-8 found transmissible by blood transfusion](#)


Koch CG, Li L, Duncan AI, Mihaljevic T, Loop FD, Starr NJ, Blackstone EH. [Transfusion in coronary artery bypass grafting is associated with reduced long-term survival.](#) Ann Thorac Surg. 2006 May;81(5):1650-7.

Koch CG, Li L, Van Wagoner DR, Duncan AI, Gillinov AM, Blackstone EH. [Red cell transfusion is associated with an increased risk for postoperative atrial fibrillation.](#) Ann Thorac Surg 2006 Nov;82(5):1747-56.

Koch CG, Li L, Duncan AI, Mihaljevic T, Cosgrove DM, Loop FD, Starr NJ, Blackstone EH. [Morbidity and mortality risk associated with red blood cell and blood-component transfusion in isolated coronary artery bypass grafting\\*](#) Crit Care Med 2006 Apr 4; [Epub ahead of print]

Kuitunen AH, Hynynen MJ, Vahtera E, Salmenpera MT. [Hydroxyethyl starch as a priming solution for cardiopulmonary bypass impairs hemostasis after cardiac surgery](#). Anesth Analg. 2004 Feb; 98(2): 291-7.

Leong JY, Baker RA, Shah PJ, Cherian VK, Knight JL. [Clopidogrel and bleeding after coronary artery bypass graft surgery](#). Ann Thorac Surg 2005 Sep;80(3):928-33.

Madjdpour C, Heindl V, Spahn DR.  [Risks, benefits, alternatives and indications of allogenic blood transfusions](#). Minerva Anestesiol 2006 May;72(5):283-98.

Raghavan M, Marik PE. [Anemia, allogenic blood transfusion, and immunomodulation in the critically ill](#). Chest 2005 Jan;127(1):295-307.

MMWR. [Fatal Bacterial Infections Associated with Platelet Transfusions --- United States, 2004](#). MMWR 2005 Feb25;54(07):168-70.

Nishimura M, Takanashi M, Okazaki H, Satake M. [Detection of anti-CD32 alloantibody in donor plasma implicated in development of transfusion-related acute lung injury](#). Cell Biochem Funct 2005 Nov 15; [Epub ahead of print]

O'Shaughnessy D. [Providing a safe and cost-effective blood transfusion service](#). Hospital Pharmacist 2000 May; 7(5):118-23.

Perpoint T, Lina G, Poyart C, de Barbeyrac B, Traineau R, Jeanne M, Vandenesch F, Etienne J. [Two cases of fatal shock after transfusion of platelets contaminated by Staphylococcus aureus: role of superantigenic toxins](#). Clin Infect Dis 2004 Nov 15;39(10):e106-9.

Rao SV, et al. [Relationship of blood transfusion and clinical outcomes in patients with acute coronary syndromes](#). JAMA 2004;292:1555-62.

- [Transfusion may be associated with higher death rates for patients with acute coronary syndromes](#) (6 Oct. 2004, Medical News)

Rogers MA, Blumberg N, Saint SK, Kim C, Nallamotheu BK, Langa KM. [Allogeneic blood transfusions explain increased mortality in women after coronary artery bypass graft surgery](#). Am Heart J. 2006 Dec;152(6):1028-34.

SABM. [Use of albumin in critically ill patients: effect on morbidity](#) (26 Oct. 2004, SABM)

Sedrakyan A, Gondek K, Paltiel D, Elefteriades JA. [Volume expansion with albumin decreases mortality after coronary artery bypass graft surgery](#). Chest 2003 Jun;123(6):1853-7.

Serefhanoglu K, Turan H, Saba T, Ozer I, Tosun E, Arslan H. [Transfusion-associated graft-versus-host disease in an immunocompetent individual following cardiac surgery](#). J Natl Med Assoc 2005 Mar;97(3):418-20.

Shander A, Popovsky MA. [Understanding the consequences of transfusion-related acute lung injury](#). Chest 2005 Nov;128(5\_suppl\_2):598S-604S.

Shorr AF, Jackson WL. [Transfusion practice and nosocomial infection: assessing the evidence](#). Curr Opin Crit Care. 2005 Oct;11(5):468-72.

Simak J, Gelderman MP. [Cell membrane microparticles in blood and blood products: potentially pathogenic agents and diagnostic markers](#). Transfus Med Rev 2006 Jan;20(1):1-26.

Solheim BG, Flesland O, Seghatchian J, Brosstad F. [Clinical implications of red blood cell and platelet storage lesions: an overview](#). Transfus Apheresis Sci 2004 Dec;31(3):185-9.

Spiess BD. [Transfusion of blood products affects outcome in cardiac surgery](#). Semin Cardiothorac Vasc Anesth 2004 Dec;8(4):267-81.

Spiess BD, Royston D, Levy JH, Fitch J, Dietrich W, Body S, et al. [Platelet transfusions during coronary artery bypass graft surgery are associated with serious adverse outcomes](#). Transfusion. 2004 Aug;44(8):1143-8.

Swanson K, Dwyre DM, Krochmal J, Raife TJ. [Transfusion-related acute lung injury \(TRALI\): Current clinical and pathophysiologic considerations](#). Lung 2006 May-Jun;184(3):177-85.

Taylor RW, O'Brien J, Trottier SJ, Manganaro L, Cytron M, Lesko MF, et al. [Red blood cell transfusions and nosocomial infections in critically ill patients](#). Crit Care Med 2006 Jul 17; [Epub ahead of print]

Utter GH, Owings JT, Lee TH, Paglieroni TG, Reed WF, Gosselin RC, et al. [Blood transfusion is associated with donor leukocyte microchimerism in trauma patients](#). J Trauma 2004 Oct;57(4):702-8.

Vamvakas EC. [Uses and sources of data on long-term survival after blood transfusion](#). Transfus Med Rev 2003 Jul;17(3):194-208.


Zallen G, Offner PJ, Moore EE, Blackwell J, Ciesla DJ, Gabriel J, et al. [Age of transfused blood is an independent risk factor for postinjury multiple organ failure](#). Am J Surg. 1999 Dec; 178(6):570-2.

## Perfusion - Important Articles

- [FDA revises labeling for Trasylol \(Aprotinin injection\) to strengthen safety warnings and limit usage of drug to specific situations](#) (16 Dec. 2006)
  - [U.S. strengthens warning for heart surgery drug](#)
- Webcast: [Dr. David Taggart's lecture on stents vs CABG](#) (Note: Real Player 10.5 required)

[Doubt raised on drug-coated heart stents at 2006 World Cardiology Congress in Barcelona](#) (4 Sept. 2006)

[Boston Scientific finds higher clot risk for drug-coated stents](#)

Riley JB, Samolyk KA, Lich BV, Moskowitz B, Shander A.  [Results from the Perfusion.com cardiac surgery hematocrit trend survey: observations and evidence-based recommendations.](#) January 2006.

- Abdel-Rahman U, Ozaslan F, Risteski PS, Martens S, Moritz A, Al Daraghmeah A, et al. [Initial experience with a minimized extracorporeal bypass system: is there a clinical benefit?](#) Ann Thorac Surg 2005 Jul;80(1):238-43.
- Arnestad JP, Hyllner M, Bengtson JP, Tylman M, Mollnes TE, Bengtsson A. [Removal of activated complement from shed blood: comparison of high- and low-dilutional haemofiltration.](#) Acta Anaesthesiol Scand 1998 Aug;42(7):811-5.
- Banbury MK, Brizzio ME, Rajeswaran J, Lytle BW, Blackstone EH. [Transfusion increases the risk of postoperative infection after cardiovascular surgery.](#) J Am Coll Surg 2006 Jan; 202(1):131-8.
- Barak M, Katz Y. [Microbubbles: pathophysiology and clinical implications.](#) Chest 2005 Oct;128(4):2918-32.
- Basran S, Frumento RJ, Cohen A, Lee S, Du Y, Nishanian E, et al. [The association between duration of storage of transfused red blood cells and morbidity and mortality after reoperative cardiac surgery.](#) Anesth Analg 2006 Jul;103(1):15-20.
- Belway D, Rubens FD, Wozny D, Henley B, Nathan HJ. [Are we doing everything we can to conserve blood during bypass? A national survey.](#) Perfusion 2005 Sep;20(5):237-41.
- Boodhwani M, Williams K, Babaev A, Gill G, Saleem N, Rubens FD. [Ultrafiltration reduces blood transfusions following cardiac surgery: a](#)

- [meta-analysis](#). Eur J Cardiothorac Surg 2006 Oct 12; [Epub ahead of print]
- Bracey AW, Grigore AM, Nussmeier NA. [Impact of platelet testing on presurgical screening and implications for cardiac and noncardiac surgical procedures](#). Am J Cardiol 2006 Nov 20;98(10S1):S25-S32.
  - Chandler WL. [Effects of hemodilution, blood loss, and consumption on hemostatic factor levels during cardiopulmonary bypass](#). J Cardiothorac Vasc Anesth 2005 Aug;19(4):459-67.
  - Cina CS, Clase CM. [Coagulation disorders and blood product use in patients undergoing thoracoabdominal aortic aneurysm repair](#). Transfus Med Rev 2005 Apr;19(2):143-54.
  - Cotton BA, Guy JS, Morris JA Jr, Abumrad NN. [The cellular, metabolic, and systemic consequences of aggressive fluid resuscitation strategies](#). Shock 2006 Aug;26(2):115-21.
  - Eising GP, Pfaunder M, Niemeyer M, Tassani P, Schad H, Bauernschmitt R, et al. [Retrograde autologous priming: is it useful in elective on-pump coronary artery bypass surgery?](#) Ann Thorac Surg 2003 Jan;75(1):23-7.
  - Goodnough LT, Shander A, Spivak JL, Waters JH, Friedman AJ, Carson JL, et al. [Detection, evaluation, and management of anemia in the elective surgical patient](#). Anesth Analg 2005 Dec;101(6):1858-61.
  - Guo XY, Duan H, Wang JJ, Luo AL, Ye TH, Huang YG, et al. [Effect of intraoperative using cell saver on blood sparing and its impact on coagulation function](#) [Chinese]. Zhongguo Yi Xue Ke Xue Yuan Xue Bao 2004 Apr;26(2):188-91.
  - Guyton RA. [Coronary artery bypass is superior to drug-eluting stents in multivessel coronary artery disease](#). Ann Thorac Surg 2006 Jun;81(6):1949-57.
  - Habib RH, Zacharias A, Schwann TA, Riordan CJ, Engoren M, Durham et al. [Role of hemodilutional anemia and transfusion during cardiopulmonary bypass in renal injury after coronary revascularization: implications on operative outcome](#). Crit Care Med. 2005 Aug;33(8):1749-56.
  - Hannan EL, Racz MJ, Walford G, Jones RH, Ryan TJ, Bennett E, et al. [Long-term outcomes of coronary-artery bypass grafting versus stent implantation](#). N Engl J Med 2005 May 26;352(21):2174-83.

- Jones TJ, Deal DD, Vernon JC, Blackburn N, Stump DA. [How effective are cardiopulmonary bypass circuits at removing gaseous microemboli?](#) J Extra Corpor Technol 2002 Mar;34(1):34-9.
- Karkouti K, Djaiani G, Borger MA, Beattie WS, Fedorko L, Wijeyesundera D, et al. [Low hematocrit during cardiopulmonary bypass is associated with increased risk of perioperative stroke in cardiac surgery.](#) Ann Thorac Surg 2005 Oct;80(4):1381-7.
-  Kestin AS, Valeri CR, Khuri SF, Loscalzo J, Ellis PA, MacGregor H, et al. [The platelet function defect of cardiopulmonary bypass.](#) Blood 1993 Jul 1; 82(1):107-17. [[Medline abstract](#)]
- Khuri SF, Valeri CR, Loscalzo J, Weinstein MJ, Birjiniuk V, Healey NA, et al. [Heparin causes platelet dysfunction and induces fibrinolysis before cardiopulmonary bypass.](#) Ann Thorac Surg 1995 Oct;60(4):1008-14.
- Kleisli T, Cheng W, Jacobs MJ, Mirocha J, Derobertis MA, Kass RM, et al. [In the current era, complete revascularization improves survival after coronary artery bypass surgery.](#) J Thorac Cardiovasc Surg 2005 Jun;129(6):1283-91.
  - [Restoring flow to all blocked areas of the heart improves 5-Year survival rate](#) (Newswise, 21 June 2005)
- Koch CG, Khandwala F, Li L, Estafanous FG, Loop FD, Blackstone EH. [Persistent effect of red cell transfusion on health-related quality of life after cardiac surgery.](#) Ann Thorac Surg 2006 Jul;82(1):13-20.
- Koster A, Chew D, Merkle F, Gruendel M, Jurmann M, Kuppe H, Oertel R. [Extracorporeal elimination of large concentrations of tirofiban by zero-balanced ultrafiltration during cardiopulmonary bypass: an in vitro investigation.](#) Anesth Analg 2004 Oct;99(4):989-92.
- Kuduvalli M, Oo AY, Newall N, Grayson AD, Jackson M, Desmond MJ, Fabri BM, Rashid A. [Effect of peri-operative red blood cell transfusion on 30-day and 1-year mortality following coronary artery bypass surgery.](#) Eur J Cardiothorac Surg 2005 Apr;27(4):592-8.
- Kuduvalli M, Newall N, Stott A, Grayson AD, Fabri BM. [Impact of avoiding cardiopulmonary bypass for coronary surgery on perioperative cardiac enzyme release and survival.](#) Eur J Cardiothorac Surg 2006 Mar 4; [Epub ahead of print]
- Kurusz M, Butler BD. [Bubbles and bypass: an update.](#) Perfusion 2004;19 (Suppl 1):S49-S55.

- Lee LY, DeBois WJ, Krieger KH, Isom OW. [Transfusion therapy and blood conservation](#). In: Cohn LH, Edmunds LH Jr, eds. Cardiac surgery in the adult. New York: McGraw-Hill, 2003:389-400. ([Table of Contents](#))
- Lee LY, DeBois W, Krieger KH, Girardi LN, Russo L, McVey J, et al. [The effects of platelet inhibitors on blood use in cardiac surgery](#) (review). Perfusion 2002 Jan;17(1):33-7
- Legare JF, Hirsch G. [Off-pump coronary artery bypass graft surgery is standard of care: Where do you stand?](#) Can J Cardiol 2006 Nov;22(13):1107-10.
- Legare JF, Buth KJ, Hirsch GM. [Conversion to on pump from OPCAB is associated with increased mortality: results from a randomized controlled trial](#). Eur J Cardiothorac Surg 2005 Feb;27(2):296-301.
- Levy JH, Tanaka KA, Steiner ME. [Evaluation and management of bleeding during cardiac surgery](#). Curr Hematol Rep 2005 Sep;4(5):368-72.
- Lilly KJ, O'Gara PJ, Treanor PR, Reardon D, Crowley R, Hunter C, et al. [Cardiopulmonary bypass: it's not the size, it's how you use it! Review of a comprehensive blood-conservation strategy](#). J Extra Corpor Technol 2004 Sep;36(3):263-8.
- Martini J, Cabrales P, Tsai AG, Intaglietta M. [Mechanotransduction and the homeostatic significance of maintaining blood viscosity in hypotension, hypertension and haemorrhage](#). J Intern Med 2006 Apr;259(4):364-72.
- Morgan TO. [Cost, quality, and risk: Measuring and stopping the hidden costs of coronary artery bypass graft surgery](#). Am J Health Syst Pharm 2005 Sep 14;62(18\_Supplement\_4):S2-S5.
- Murphy GS, Szokol JW, Nitsun M, Alspach DA, Avram MJ, Vender JS, et al. [Retrograde autologous priming of the cardiopulmonary bypass circuit: safety and impact on postoperative outcomes](#). J Cardiothorac Vasc Anesth 2006 Apr;20(2):156-61. Epub 2006 Jan 6.
- Niemi TT, Suojaranta-Ylinen RT, Kukkonen SI, Kuitunen AH. [Gelatin and hydroxyethyl starch, but not albumin, impair hemostasis after cardiac surgery](#). Anesth Analg 2006 Apr;102(4):998-1006.
- Nollert G, Schwabenland I, Maktav D, Kur F, Christ F, Fraunberger P, et al. [Miniaturized cardiopulmonary bypass in coronary artery bypass surgery: marginal impact on inflammation and coagulation but loss of safety margins](#). Ann Thorac Surg 2005 Dec;80(6):2326-32.

- Chaney MA. [Review](#) of *Miniaturized cardiopulmonary bypass in coronary artery bypass surgery: marginal impact on inflammation and coagulation but loss of safety margins*. (Feb. 2006)
- Norman MJ, Sistino JJ, Acsell JR. [The effectiveness of low-prime cardiopulmonary bypass circuits at removing gaseous emboli](#). J Extra Corpor Technol 2004 Dec;36(4):336-42.
- Paiva P, Ferreira E, Antunes M. [Bloodless open heart surgery: simple and safe](#). Rev Port Cardiol 2005 May;24(5):647-54.
- Prondzinsky R, Knupfer A, Loppnow H, Redling F, Lehmann DW, Stabenow I, et al. [Surgical trauma affects the proinflammatory status after cardiac surgery to a higher degree than cardiopulmonary bypass](#). J Thorac Cardiovasc Surg 2005 Apr;129(4):760-6.
- Ranucci M, Biagioli B, Scolletta S, Grillone G, Cazzaniga A, Cattabriga I, Isgro G, Giomarelli P. [Lowest Hematocrit on Cardiopulmonary Bypass Impairs the Outcome in Coronary Surgery: An Italian Multicenter Study from the National Cardioanesthesia Database](#). Tex Heart Inst J 2006;33(3):300-305.
- Ranucci M, Romitti F, Isgro G, Cotza M, Brozzi S, Boncilli A, Ditta A. [Oxygen delivery during cardiopulmonary bypass and acute renal failure after coronary operations](#). Ann Thorac Surg 2005 Dec; 80(6):2213-20.
- Rex S, Brose S, Metzelder S, de Rossi L, Schroth S, Autschbach R, Rossaint R, Buhre W. [Normothermic beating heart surgery with assistance of miniaturized bypass systems: the effects on intraoperative hemodynamics and inflammatory response](#). Anesth Analg 2006 Feb;102(2):352-62.
- Rinder CS, Smith MJ, Rinder HM, Cortright DN, Brodbeck RM, Krause JE, Smith BR. [Leukocyte effects of C5a-receptor blockade during simulated extracorporeal circulation](#). Ann Thorac Surg 2007 Jan;83(1):146-52.
- Rodriguez RA, Rubens F, Belway D, Nathan HJ. [Residual air in the venous cannula increases cerebral embolization at the onset of cardiopulmonary bypass](#). Eur J Cardiothorac Surg 2006 Feb;29(2):175-80. Epub 2006 Jan 11.
- Rodriguez RA, Williams KA, Babaev A, Rubens F, Nathan HJ. [Effect of perfusionist technique on cerebral embolization during cardiopulmonary bypass](#). Perfusion 2005 Jan;20(1):3-10.

- Russell JA, Navickis RJ, Wilkes MM. [Albumin versus crystalloid for pump priming in cardiac surgery: meta-analysis of controlled trials.](#) J Cardiothorac Vasc Anesth 2004 Aug;18(4):429-37.
- Schroth M, Plank C, Meissner U, Eberle KP, Weyand M, Cesnjevar R, et al. [Hypertonic-hyperoncotic solutions improve cardiac function in children after open-heart surgery.](#) Pediatrics 2006 Jul;118(1):e76-e84. Epub 2006 Jun 2.
- Scott EM, Buckland R. [A systematic review of intraoperative warming to prevent postoperative complications.](#) AORN J. 2006 May;83(5):1090-104, 1107-13.
- Selnes OA, Grega MA, Borowicz LM Jr, Barry S, Zeger S, Baumgartner WA, et al. [Cognitive outcomes three years after coronary artery bypass surgery: a comparison of on-pump coronary artery bypass graft surgery and nonsurgical controls.](#) Ann Thorac Surg 2005 Apr;79(4):1201-9.
- Shaffer KE, Pearman DT, Galen RS, Carville DG. [A rapid platelet function assay used to regulate platelet transfusion prophylaxis following cardiopulmonary bypass surgery.](#) J Extra Corpor Technol 2004 Jun;36(2):145-8.
- Slight RD, Demosthenous N, Nzewi OC, Soliman AR, McClelland DB, Mankad PS. [The effect of gain in total body water on haemoglobin concentration and body weight following cardiac surgery.](#) Heart Lung Circ. 2006 Aug;15(4):256-60.
- Slight RD, Demosthenous N, Nzewi OC, Soliman AR, McClelland DB, Mankad PS. [The effect of gain in total body water on haemoglobin concentration and body weight following cardiac surgery.](#) Heart Lung Circ 2006 Jun 5; [Epub ahead of print]
- Slight RD, Bappu NJ, Nzewi OC, McClelland DB, Mankad PS. [Perioperative red cell, plasma, and blood volume change in patients undergoing cardiac surgery.](#) Transfusion 2006 Mar;46(3):392-7.
- Surgenor SD, DeFoe GR, Fillinger MP, Likosky DS, Groom RC, Clark C, et al. [Intraoperative red blood cell transfusion during coronary artery bypass graft surgery increases the risk of postoperative low-output heart failure.](#) Circulation 2006 Jul 4;114(1 Suppl):I43-8.
- Syed A, Fawzy H, Farag A, Nemlander A. [Comparison of pulmonary gas exchange in OPCAB versus conventional CABG.](#) Heart Lung Circ 2004 Jun;13(2):168-72.

- Taketani T, Motomura N, Toyokawa S, Kotsuka Y, Takamoto S. [Beneficial effect of acute normovolemic hemodilution in cardiovascular surgery](#). Jpn J Thorac Cardiovasc Surg 2005 Jan;53(1):16-21.
- Tanemoto K, Hamanaka S, Morita I, Masaki H. [Platelet activity of residual blood remained in the cardiopulmonary bypass circuit after cardiac surgery](#). J Cardiovasc Surg (Torino). 2004 Feb;45(1):27-30.
- van Dijk D, Diephuis JC, Nierich AP, Keizer AM, Kalkman CJ. [Beating heart versus conventional cardiopulmonary bypass: the octopus experience: a randomized comparison of 281 patients undergoing coronary artery bypass surgery with or without cardiopulmonary bypass](#). Semin Cardiothorac Vasc Anesth. 2006 Jun;10(2):167-70.
- Van der Linden P, Ickx BE. [The effects of colloid solutions on hemostasis](#). Can J Anaesth 2006 Jun;53(6 Suppl):S30-9.
- von Heymann C, Sander M, Foer A, Heinemann A, Spiess B, Braun J, Kramer M, et al. [The impact of an hematocrit of 20% during normothermic cardiopulmonary bypass for elective low risk coronary artery bypass graft surgery on oxygen delivery and clinical outcome - a randomized controlled study \[ISRCTN35655335\]](#). Crit Care. 2006 Apr 10;10(2):R58 [Epub ahead of print]
- von Heymann C, Redlich U, Moritz M, Sander M, Vargas Hein O, Grubitzsch H, et al. [Aspirin and clopidogrel taken until 2 days prior to coronary artery bypass graft surgery is associated with increased postoperative drainage loss](#). Thorac Cardiovasc Surg 2005 Dec;53(6):341-5.
- Walpoth BH, Amport T, Schmid R, Kipfer B, Lanz M, Spaeth P, Kurt G, Althaus U. [Hemofiltration during cardiopulmonary bypass: quality assessment of hemoconcentrated blood](#). Thorac Cardiovasc Surg 1994 Jun;42(3):162-9.
- Zelinka ES, Ryan P, McDonald J, Larson. [Retrograde autologous prime with shortened bypass circuits decreases blood transfusion in high-risk coronary artery surgery patients](#). J Extra Corpor Technol 2004 Dec;36